

Product designation: Duropont Silan

Version: 2024-09-22

Replayed Version: 2021-11-08

Section 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Substance name Trade name: Duropont Silan Article number starting: F66 / UDI 763029670057P

1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Relevant identified uses:</u> Mixture for bonding between metal and plastics <u>Uses advised against:</u> All applications that deviate from the identified use

1.3 Details of the supplier providing the safety data sheet

Manufacturer / Supplier NOVODENT Ets.

Street/PO Box Industriestrasse 32

Nat. no./Postal code/City Liechtenstein - 9487 - Bendern

Contact point for technical information NOVODENT Ets.

Phone / Fax / E-Mail +423 377 1500 / -09

/ E-Mail: msds@novodent.com

1.4 Emergency phone number

+423 377 1500 (Novodent Ets.) +41 44 251 51 51 oder 145 (Tox-Zentrum)

Section 2: Potential hazards

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin.sens. H317, Eye irrit. H319, Skin irrit. H315, respiratory irrit. H335, Liq.2. H225

2.2 Labelling elements

Labelling elements according to Regulation (EC) No 1272/2008

Pictogram:



Hazard-determining components for labelling contains: Methylmethacrylat Hazard information:



Safety data sheet according to Regulation (EU) 2020/878

Product designation:	Duropont Silan		
Version:	2024-09-22	Replayed Version:	2021-11-08
H315	May cause skin irritation		
H317	May cause allergic skin reaction	าร	
H319	Causes severe eye irritation		
H335	May cause respiratory irritation		
H225	Highly flammable liquid and va	pour	
Safety informat	ion:		
P101	Keep out of the reach of childre	en.	
P280	Wear protective gloves / clothi	ng / eye protection / face pr	otection.
P262	Do not get in eyes, on skin or o	on clothing.	
P261	Avoid breathing dust/fume/gas	/mist/vapour/aerosol.	
P501	Dispose of contents/container i	n accordance with local reg	ulations.
P210	Keep away from heat/sparks/o	pen flames/hot surfaces. Do	not smoke
P352	Wash/shower skin with wather		
P305	In case of contact with eyes:		
P351	Take off immediately all contar	ninated, soaked clothing.	
P338	Remove any contact lenses if p		7.
P273	Avoid release into the environm		

No

2.3 Other dangers

PBT or vPvB. Indeterminate, mixture. May polymerise on excessive heating.

Section 3: Composition/information on ingredients

3.1 Substances

This product is a mixture as listed under 3.2.

3.2 Mixtures

 Substance Name: Methylmethacrylat

 EC-Nr.:
 CAS-No.:
 80-62-6
 Index-No.:
 REACH Registration No.:

 Content :
 < 98 %</td>
 %

 Classification according to Regulation (EC) No 1272/2008:
 Skin.Sens. H317, respiratory.irrit. H335, Skin.irrit H315, Flam. Liq.2. H225

(For the wording of the listed hazard statements see section 16 and 2.2)

Section 4: First aid measures

4.1 Description of the first aid measure

After inhalation

Provide plenty of fresh air and consult a doctor if symptoms persist.

After skin contact

Wash off with soap and water and rinse well. Consult a doctor if skin irritation persists.



Safety data sheet according to Regulation (EU) 2020/878

Product designation: Duropont Silan

Version:

2024-09-22

Replayed Version: 2021-11-08

Nach Augenkontakt

Remove contact lenses. Rinse immediately under running water for several minutes with the eyelids open. Consult a doctor if symptoms persist.

After swallowing

Rinse out mouth and drink plenty of water. Avoid vomiting and consult a doctor if symptoms persist.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- **4.3 Indications for immediate medical help or special treatment** None known.

Section 5: Fire-fighting measures

5.1 Extinguishing agent

Suitable: CO2, extinguishing powder or water spray. In the case of larger fires, use water spray or alcoholresistant foam.

Unsuitable: Full water jet, high-pressure water jet

5.2 Special hazards arising from the substance or mixture None known.

5.3 Advice for firefighters

In case of fire, cool the container with water spray.

Section 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Use protective equipment according to section 8.
- 6.2 Environmental protection measures

Do not allow to enter drains/surface waters/groundwater.

6.3 Methods and material for retention and cleaning

Absorb with liquid-binding materials (sand, diatomaceous earth, acid binders, universal binders, sawdust) and ensure adequate ventilation.

6.4 Reference to other sections Protective measures under point 7 and 8.

Section 7: Handling and storage

7.1 Protective measures for safe handling



Product designation: Duropont Silan

Version:

2024-09-22

Replayed Version: 2021-11-08

Measures to protect against fire and explosions

Avoid skin contact by keeping a safe distance or wearing suitable protective clothing. Avoid wearing suitable protective clothing. Keep away from sources of ignition - do not smoke and take measures against electrostatic charging.

Measures to prevent dusts and aerosols

Always keep the container closed.

Measures to protect the environment

Prevent product and large quantities of contaminated wash water from entering water and soil. avoid. Cover sewage systems to prevent product from entering the sewage system.

General hygiene measures

Do not eat, drink or smoke in areas where work is being done.

- Wash hands after use.
- Remove contaminated clothing and protective equipment before entering areas where food is being where food is consumed

7.2 Conditions for safe storage taking into account incompatibilities

Information on storage conditions

2 °C - 30 °C | 35.6 °F - 86 °F (because of quality)

Requirements for storage rooms and containers

Store only in the original container in a cool place protected from light. Equipment in the vicinity should be EX protected. highly flammable 3

Storage class:

7.3 Specific end uses

Industry and sector-specific guidelines For further information, please refer to our instructions for use

Section 8: Exposure controls / Personal protective equipment

8.1 Parameters to be monitored

Occupational exposure limit values and/or biological limit values Occupational exposure limit values (OELs) Germany

Methylmetacrylat CAS 80-62-6		
MAK (Swizerland)	Short-term value 420 E mg/m ³ 100 ml/m ³ Long-term value 210 E mlg/m ³ 50 ml/m ³	
MAK (Austria)	Short-term value 420 E mg/m ³ 100 ml/m ³ Long-term value 210 E mlg/m ³ 50 ml/m ³	
AGW (Germany)	210 mg/m ³ 50ml/m ³ 2(I); DFG, EU, Y	

8.2 Exposure controls and monitoring



Product designation: Duropont Silan

Version:

2024-09-22

Replayed Version: 2021-11-08

Suitable technical control devices

No further information, see point 7.

Individual protective measures - personal protective equipment

Eye / face protection

Use safety goggles with side shields according to EN 166:2001. In areas of possible exposure risk, provide eye wash facilities and safety showers be provided.

Skin protection

Gloves

Latex gloves are not suitable

Prolonged exposure:

Glove material: Nitrile rubber (NBR) Layer thickness (mm): Layer thickness 0.56 mm Penetration time (min.): >480

Short-term exposure: Glove material: Nitrile rubber (NBR) Layer thickness (mm): Layer thickness 0.10 mm Penetration time (min.): >30

Other skin protection

Wear protective gloves. Recommendations are listed below. Other protective materials may be used depending on the user's risk assessment. Skin protection creams can help protect exposed skin, but should not be applied after exposure has occurred.

Respiratory protection

In case of short or low exposure use respiratory filter device; in case of intensive or prolonged exposure use self-contained breathing apparatus.

Recommended filter device for short-term use:

Filter A1 Filter A2 Filter A3

Heat / cold protection

Observe storage conditions according to GBA. Keep away from light and heat sources.

Limitation and monitoring of environmental exposure

No information available.

Section 9: Physical and chemical properties

9.1 Information on the basic physical and chemical properties

Appearance

 State of aggregation: 	Liquid
- Colour :	Clear light yellow



Safety data sheet according to Regulation (EU) 2020/878

Product designation:

Duropont Silan

n: 2024-09-22	2 Replayed Version: 2021-11-
Smell :	Characteristic ester-like
Smell threshold :	No data available
pH value :	Undetermined
Melting point/freezing point :	- 48°C (- 54°F)
Initial boiling point and boiling	101°C (213°F)
range :	
Flash point :	10 °C (50 °F) Cleveland
Evaporation rate :	Not determined
Flammability (solid, gas) :	No data available
Upper/lower flammability or	The product is not explosive
explosion limits :	
Vapour pressure :	47 hPa @ 20°C (68°F)
Vapour density :	Not applicable
relative density :	0,943 g/cm³ on 20°C (68°F)
Solubility(s) :	1,6g/L on 20°C (68°F)
Partition coefficient:	Not determined
n-octanol/water :	Not determined
Auto-ignition temperature :	The product is not self-igniting
Decomposition temperature :	Not determined
Viscosity :	Not determined
explosive properties :	None

9.2 Other details

% Volatile substances (wt.%):	Not determined
Volatile organic compounds:	Not determined
Solvent content organic:	Not determined
Solids content	Not determined

Section 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known.

10.2 Chemical stability

The product is chemically stable under normal ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Formation of explosive gas mixtures with air. Reactions with strong oxidising agents. Polymerisation with evolution of heat.

10.4 Conditions to be avoided

Heating. A range from approx. 15 Kelvin below the flash point is considered critical. Exposure to light.

10.5 Incompatible materials

Avoid initiators that produce free radiacles and contact with peroxides. Rubber and various plastics.

10.6 Hazardous decomposition products

None under normal storage and handling conditions.

Section 11: Toxicological information



Produc	t designation:	Duropo	ont Silan			
Version:		2024-	2024-09-22		Replayed Version:	2021-11-08
11.1	Data on to	kicological	effects			
	acute toxicity	Oral Dermal Inhalation	Irritates the ski		lata, the classificati	on criteria are not met.
	Irritates th	e/irritant eff ne skin and m eye damage/	ect on the skin ucous membrane	1		
	Sensitisa	tion of the piratory tract			s sensitisation ause allergic skin re	eactions.
	Germ cell None Carcinogo	l mutagenic	ity		<u> </u>	
	Not classif Reproduc	ied, Based on	/	he classification crit		
	Specific t	arget organ		he classification crit a single exposure ion.		
	Specific t	arget organ ied, Based on	toxicity in cas	e of repeated exp the classification crit		
	-		available data, t	he classification crit	eria are not met.	
	TOXICITY	Y DATA				

Acute toxicity					
Oral	Rat	Akute LD50	7.872 mg/kg	Literature	
Dermal	Rabbit	Akute LD50	> 5.000 mg/kg	Literature	
Inhalation	Mouse	Sensitisation		Literature	
Local effect on skin and eyes					
Acute irritation	Dermal	Rabbit	Irritating to skin	Literature	
Acute irritation	Eye	Mouse (LLNA)	No eye irritation	Literature	
Allergic sensitisation					
Sensitisation	Skin	Sensitisation		Literature	
Sensitisation	Respiration	Sensitisation		Literature	

Other information

Toxicity data are from studies funded by raw material manufacturers or from generally available literature. Prolonged or repeated skin or mucous membrane contact of non-polymerised material may cause irritation symptoms.

Symptoms and effects (delayed and chronic) with information on routes of exposure. also: information on toxicokinetics, metabolism and distribution

Not classified, Based on available data, the classification criteria are not met.

Section 12: Environmental information

12.1 Toxicity

Water hazard class 1 (list classification):

Slightly water-repellent Do not allow to enter waters or drains.



Product designation: Duropont Silan

Version:

2024-09-22

Replayed Version: 2021-11-08

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Soil mobility

No data available

12.5 Result of the PBT and vPvB assessment unspecified

12.6 Other harmful effects

No data available

Section 13: Notes on disposal

13.1 Waste treatment process

Treatment of contaminated packaging

Dispose of to a controlled landfill or incineration line in accordance with local regulations.

Waste code according to the List of Wastes Ordinance (AVV) 150110 Hazardous waste

Special precautionary measures

None

Relevant EU or other regulations

No data available

Section 14: Transport information

14.1UN-Number

UN 1247

14.2 Proper UN shipping name

ADR/RID

UN1247 METHYLMETHYCRYLAT MONOMER, STABILIZED


IMDG-Code / ICAO-TI / IATA-DGR UN1247 METHYLMETHYCRYLAT MONOMER, STABILIZED

14.3 Transport hazard classes ADR/RID Class: Flammable liquid substances Hazard label: 3

Transport/further information

Safety data sheet according to Regulation (EU) 2020/878

Product designation: Duropont Silan



Section 15: Legislation

15.1 Safety, health and environmental regulations/specific legislation for the substance or mixture

Regulation (EC) No 2037/2000 (substances that deplete the ozone layer): Not applicable Regulation (EC) No 850/2004 (persistent organic pollutants):



Product designation: Duropont Silan

Version:

2024-09-22

Not applicable Regulation (EC) No 689/2008 (export and import of dangerous chemicals): Not applicable Regulation (EC) No 648/2004 (Detergents Regulation): Not applicable Restrictions under Title VIII of Regulation (EC) No 1907/2006: Not applicable

National regulations

Water hazard class

Water quality class 2 (list classification)

15.2 Chemical Safety Assessment

The mixture has not been subjected to a safety assessment.

Section 16: Other information

Changes compared to the last version

Transfer to new software, toxicological values taken from literature.

Abkürzungen

ADR AwSV	European Agreement concerning the International Carriage of Dangerous Goods by Road Ordinance on Installations for the Handling of Substances Hazardous to Water
BImSchV	Ordinance on the Implementation of the Federal Immission Control Act
CAS DIN	Chemical Abstracts Service Standard of the German Institute for Standardisation
EC	Effective concentration
EC EG	
EG	European Community European Standard
IATA-DGR	
-	International Code for the Construction and Equipment of Ships Carrying Dangerous
IBC Code	Chemicals in Bulk
ICATO-TI	International Civil Aviation Organization-Technical Instructions
IMDG-Code	International Maritime Code for Dangerous Goods
ISO	Standard of the International Standards Organization
IUCLID	International Uniform ChemicaL Information Database
LC	Lethal concentration
LD	Lethal dose
Log Kow	Partition coefficient between octanol and water
MARPOL	Maritime Pollution Convention = Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, bioaccumulative, toxic
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TRGS	Technical regulations for hazardous substances
UN	United Nations
VOC	Volatile Organic Compounds (VOCs)
vPvB	Very persistent and very bioaccumulative
VwVwS	Administrative regulation on substances hazardous to water
WGK	Water hazard class

References and data sources

Regulations

REACH Regulation (EC) No 1907/2006, as last amended by Regulation (EU) 2018/675 CLP Regulation (EC) No 1272/2008, as last amended by Regulation (EU) 2018/669

Safety data sheet according to Regulation (EU) 2020/878

Product designation: Duropont Silan

Version:

2024-09-22

Replayed Version: 2021-11-08

Internet

http://www.llv.li/kontakt/3408/amt-fur-umwelt http://publikationen.dguv.de http://dguv.de/ifa/stoffdatenbank http://www.gischem.de http://echa.europa.eu/en/candidate-list-table http://www.ncbi.nlm.nih.gov/pubmed/

Methods according to Article 9 of Regulation (EC) No 1272/2008 have been used to assess the information for the purpose of classification

Physical hazards: Evaluation of test data

Health and environmental hazards: Calculation methods

Wording of the hazard statements and/or precautionary statements referred to in section 2 to 15

H315	May cause skin irritation
H317	May cause allergic skin reactions
H319	Causes severe eye irritation
H335	May cause respiratory irritation

Training for employees

No special training is required for activities with the above-mentioned product because they are used by dental technicians.

Further information

This product is part of a 2-component system. This information is without guarantee or warranty. We do not accept any legal responsibility for it.

SDS Manufactured by: NOVODENT Ets., address and contact see point 1.3

Approach with exposure scenarios

Not applicable as no exposure scenarios need to be developed for mixtures.